

PART NO	S	DESCRIPTION	QTY	ID
		== Type 1, M1, 146 x 90 x 68hr - 1.016 09/15/17 ==	1	USAC
00-00-0500		This unit built in accordance with KKK-A1822-F CN 10	1	USAC
		This unit as specified meets all requirements of KKK-A1822 Change notice 10.	-F	
		All cabinets shall be labeled as to their capacity Rating.		
		CHASSIS:	1	USAC
00-10-6160		Chassis, Ford, 2018, F350, 4x4, 169" Wheelbase 2018-3	1	USAC
		Autothrottle OEM Ford		
		Alternator OEM Ford		
		Mirrors, OEM, Heated/Remote		
		Cab seats OEM Captains chairs(no armrests)		
00-39-0000		Domestic Chassis	1	USAC
		BASE CONVERSION	1	USAC
00-40-0005		Conversion, "M1", 146" Type 1 2018-2	1	USAC
		DELIVERY	1	USAC
00-98-0005		Dealer will arrange delivery	1	USAC
		Sales to add money to recap		
		CAB TO MODULE MOUNTING:	1	USAC
10-10-1002		Bellows, Passthru, Unigrip, Ford Type 1	1	USAC
		With Aluminum cab insert.		
		CHASSIS ADD-ONS:	1	USAC
1A-10-3900		Mirrors, OEM	1	USAC
		ALTERNATOR(S):	1	USAC
1K-40-5000		Alternator,OEM	1	USAC

PART NO	S	DESCRIPTION	QTY	ID
		THROTTLE CONTROLS:	1	USAC
1P-50-5100		High Idle Controls, OEM	1	USAC
		TIRE CHAINS	1	USAC
25-70-4050		Automatic Snow chains- NONE Required	1	USAC
		CHASSIS ADD-ON MISC	1	USAC
35-05-2000		INTERIOR CABINETS -Duralite Construction, Wood	1	USAC
		MODULE BODIES:	1	USAC
35-10-0070		Aisle Space, 49 inches, STD, Type 1 M1, Std (48-49" actual)	1	USAC
		Install Black anti-slip decal on curbside and rear stainless steel thresholds, STD		
35-10-0970		Headroom, 68" H.R., Standard, M1	1	USAC
35-14-9991		Box Assy, M1, 68in HR, Pan Doors, Type 1 Ford 146x90x68" HR	1	USAC
36-A0-0102		C1, Compt, Single Door, M1, Type 1 Single door with inside /outside access, upper area. Outside access only to lower aluminum area. Battery storage, under hood.	1	USAC
36-B0-0102		C3, Compt, Spare Tire, M1, Type 1	1	USAC
36-D0-0103		S3, Compt, Full Height, M1, Type 1 Full height backboard storage.	1	USAC
36-E0-0102		S2 Compt, M1, Type 1	1	USAC
36-F0-0102		S1, Compt, 3/4 Height, M1, Type 1 Oxygen storage. Sweepout compartment floor.	1	USAC
37-00-0350		Coating, Scorpion X02, Per Compt, (1), Std Light Gray	4	USAC
37-00-0360		Coating, Scorpion, Rear Bumper Supports Black	1	USAC
37-00-0510		Compartments, Std, Floor 3" Drop Down, M1 Compartments C3 (more than 3" for spare tire) Compartments "S2" & "S3", 3" drop-down	3	USAC
37-00-0600		Compartments, Sweepout Compartments "C1" & "S1" are standard sweep out	2	USAC
37-00-0700		Pan Style Doors - Magnetic door switches, Standard	1	USAC

PART NO	S	DESCRIPTION	QTY	ID
FUEL FILL HOUSING:			1	USAC
3A-10-1000		Housing, Fuel Fill, Cast, Type 1	1	USAC
SHELF- COMPARTMENT "C1"/RF CABINET:			1	USAC
3F-20-1001		Shelf, Adjustable,(1), RF Cabt, M1 - centered top to bottom.	1	USAC
SHELF- COMPARTMENT "S2":			1	USAC
3F-50-0201		Shelf, Fixed, Cmpt S2, for Electrical storage, M1	1	USAC
WINDOWS:			1	USAC
3P-10-5201		Window,Upper,CS/Slider,Rr/Fixed,Privacy Tint,PAN Curbside window with lower slider section Rear windows fixed Privacy Tint	1	USAC
MODULE ENTRY DOOR HANDLES:			1	USAC
3U-30-8000		Handles, Patient Entry, Trimark Paddle, Black/Chrome, W/ override latch	1	USAC
EXTERIOR COMPT DOOR HANDLES:			1	USAC
3U-40-0507		Handle, Module Compt, Trimark Paddle, Black/Chrome, Curbside	2	USAC
3U-40-0509		Handle, Module Compt, Trimark Paddle, Black/Chrome, Streetside	3	USAC
DOOR HOLD OPENS:			1	USAC
40-10-1611		Hold Opens,Rr Doors,Cast,Grabber (2), 5.5", Std Model only Installed so doors will open as wide as possible - Mount at bottom of doors.	1	USAC
40-10-7101		Holdopen, Gas Strut, Ext Compt, 60lb , M1 Compartment "S3", standard	1	USAC
40-10-7201		Hold Open, Gas Strut, Ext Compt, 30lb, Std, M1 Compartments "C3", "S1", & "S2"	3	USAC
40-10-7205		Hold Open, Gas Strut, RF Compt, 30lb, Std	1	USAC
40-10-7750		Holdopen, Gas Strut, CS Entry Door, 35# Standard.	1	USAC
DOOR PANELS:			1	USAC
45-10-4505		Panels, Entry, M1, Stainless Steel, w/ Chevrons, STD Upper and Lower door panels Stainless Steel Center lock box aluminum with white/red reflective tape	1	USAC
FENDER FLARES:			1	USAC
4A-10-3001		Flare, Fender, Bright Finish	1	USAC
BUMPERS:			1	USAC
4F-11-5058		Bumper, Rear, M1, Ford Type 1, w/LED Lights with Gator Grip on flip up step.	1	USAC

PART NO	S	DESCRIPTION	QTY	ID
RUNNING BOARDS:			1	USAC
4K-10-2108		Running Boards, Ford Type 1, w/ Gator Grip, M1	1	USAC
SKIRTRAILS			1	USAC
4U-10-2550		Skirtrails, Extruded rubber, 146 inch, M1	1	USAC
STONE GUARDS (FRONT):			1	USAC
4U-11-2030		Stone Guard, Front, Dia Plate, M1	1	USAC
KICKPLATES (w/STD. REAR STONEGUARDS):			1	USAC
50-10-4070		Kickplate, W/ (6) Trucklite Lights, M1, Standard	1	USAC
55-10-3050		Holder, License Plate, Cast, C30002, STD - in rear kick plate, centered	1	USAC
PAINT/BELTS:			1	USAC
5F-10-0800		Paint, OEM White Sikkens Crossover Codes Ford white: FA91:YZ Dodge/Chevy white: FLNA4738 (2015 Chevy FLNA 41383)	1	USAC
5F-10-4800		Paint, Belt, None	1	USAC
DECAL PACKAGES INSTALLED:			1	USAC
5P-10-5000		Roof Star, White Border, Installed 32" Blue SOL with White border installed on roof	1	USAC
HEATING/AIR CONDITIONING:			1	USAC
5U-12-5000		Hoses, Heater, Nomax, to Rear, STD	1	USAC
5U-70-0100		Heat/AC, Ford type 1, Combo with thermostat in action area.	1	USAC
5U-92-0500		Thermostat, Manual	1	USAC
ELECTRICAL SYSTEM			1	USAC
60-00-0050		ELECTRICAL SYSTEM: Kinequip Circuitboard	1	USAC
BATTERY SWITCHES:			1	USAC
60-22-1025		Battery Switch, Cole Hersey Manual, Ford T1, Fig 5B, Batt under Hood (2) OEM batteries under hood ONLY Module power is turned on/off. Chassis power is NOT turned off.	1	USAC
COAX CABLES/ANTENNAS:			1	USAC
65-30-1000		Coax Cable, RG58/U, (1) Each, Standard, Terminate: From module roof port number #3 to behind passenger seat standard - with 6' pigtails	1	USAC
12VDC POWER SOURCES & OUTLETS:			1	USAC
6A-22-201E		Outlet, Cigar Lighter, STD, (2), M1 Standard on standard 20-amp ignition hot circuit. - (1) outlet in action area	1	USAC

PART NO	S	DESCRIPTION	QTY	ID
		- (1) in RF Cabinet "E", wall #2, upper right		
6A-22-5200		Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel Style Location in the Engine cover console switch panel.	1	USAC
		POWER SOURCE, 12 VDC	1	USAC
6A-23-0910		Power Source, 12VDC, 20A, Ignition/Shoreline Hot 20amp 12 volt DC circuit routed to two locations, (1) pre-wire coil and tagged in action area and (1) pre-wire coil and tagged behind driver's seat.	1	USAC
6A-23-1201		Power Source, 12 VDC, 15 Amp (+-), Std Model only - Ignition hot, terminating in cab console - with 6 foot tails (hot and ground).	1	USAC
		SHORELINE INLETS:	1	USAC
6F-80-1410		Shoreline, Inlet, 15A, GFI, Std mounted above compartment "S2"	1	USAC
		110 VAC OUTLETS:	1	USAC
6K-40-1000		Outlet, 110 VAC, Duplex, (2), STD - (1) outlet in action area - (1) outlet in the RF Cabinet "E", wall #2, upper right.	1	USAC
		BATTERY CHARGERS:	1	USAC
6U-10-5000		Battery Charger, Conditioner, Progressive Dynamics, PD9130, Std. Charger/Conditioner mounted in Comp "S2"	1	USAC
		INVERTERS:	1	USAC
7F-10-0100		CLICK TO ADD INVERTER	1	USAC
7P-50-1000		Prewire, Inverter, Vanner, with lug and plug Wired to upper front corner of compartment "S2"	1	USAC
		CONSOLES:	1	USAC
7U-10-0602		Console, Center, Pass-thru, Mica Finish, Ford Type 1	1	USAC
		GAUGES/METERS:	1	USAC
D0-10-6000		Smart Voltmeter, with Alarm, Audio/Visual With additional light on Cab Console for visual alarm.	1	USAC
		SEQUENCING/LOAD MANAGEMENT:	1	USAC
DA-10-4000		Switch, Emergency Master, Non Sequenced, Standard	1	USAC
		SIREN SPEAKERS:	1	USAC
DF-10-1242		Siren Speakers, Cast SAD/PSAD3815-17FSD-1;FRD'17, F1, 2017+, Std Thru Front Bumper	1	USAC

PART NO	S	DESCRIPTION	QTY	ID
		SIRENS:	1	USAC
DK-10-1400		Siren, Whelen, WS-295-SLSA1, Standard	1	USAC
		SWITCHING OPTIONS FOR AIR HORNS & SIREN	1	USAC
DP-11-1000		Switch, Siren/Horn Thru Horn Ring	1	USAC
		BACK-UP ALARMS:	1	USAC
F0-11-3000		Alarm, Back-Up, Auto Reset, Std Model only	1	USAC
		VEHICLE EXTERIOR LIGHTING	1	USAC
		WHELEN SUPER LED 9L SINGLE ROW FLASHIN	1	USAC
		LIGHTS T1,3,9:		
FU-39-0110		Light, 9L, Single Row Super LED, Whelen, Red, Red	8	USAC
		Lens,ILOS, 90R02FRR		
		Front Body - Upper Curbside Corner		
		Front Body - Upper Streetside Corner		
		Streetside Body - Upper Forward		
		Streetside Body - Upper Rear		
		Curbside Body - Upper Forward		
		Curbside Body - Upper Rear		
		Rear Body - Upper Streetside Corner		
		Rear Body - Upper Curbside		
		Primary /Secondary thru flasher		
FU-39-0111		Light, 9L, Single Row Super LED, Whelen, Red, Red	4	USAC
		Lens,IATS, 90R02FRR		
		Front Body - Upper Curbside Inner = IATS		
		Front Body - Upper Streetside Inner = IATS		
		Rear Body - Streetside Thru Window = IATS		
		Rear Body -Curbside Thru Window = IATS		
		Thru flasher		
		Pri/Sec		
FU-39-0114		Light, 9L, Single Row Super LED, Whelen, Amber, Amber	1	USAC
		Lens,ILOS, 90A02FAR		
		Rear Body - Upper Center		
		Primary /Secondary thru flasher		
FU-39-0118		Light, 9L, Single Row Super LED, Whelen, Clear ,ILOS,	1	USAC
		90C02FCR		
		Front Body - Upper Center		
		Primary Only thru flasher		

PART NO	S	DESCRIPTION	QTY	ID
5 SERIES(LIN6) NON-SPLIT LED LIGHTS:			1	USAC
H4-06-5702		Light,5L LIN6,Whelen,Red,Red Lens,50R02ZRR, Std, F1/D1 Only Grille - LH Upper Corner Grille - RH Upper Corner wired thru external flasher, std. Primary Only.	2	USAC
WHELEN 5E FLANGES/HOUSINGS:			2	USAC
H4-10-0044		Housing, 5L Series, #5LSMAC, (1),Std, F1/D1 Only	2	USAC
INTERSECTION LIGHTS, FORD & Chevy Type 1, WHELEN			1	USAC
INTERSECTION LIGHTS, FORD & Chevy Type 1, WHELEN			1	USAC
H5-59-500E		Light, Whelen, LINZ6R, LED-Red, Std, Ford & Chevy Type 1 with chrome flanges Front Fender Warning - Intersectors - LH Side Front Fender Warning - Intersectors - RH Side. wired thru external flasher, std. Primary Only.	2	USAC
H5-59-500E		Light, Whelen, LINZ6R, LED-Red, Std, Ford & Chevy Type 1 with chrome flanges Front Fender Warning - Intersectors - LH Side Front Fender Warning - Intersectors - RH Side. wired thru external flasher, std. Primary Only.	2	USAC
CLEARANCE LIGHTS:			1	USAC
HF-12-1005		Light, Clearance, Red, LED ILOS (5) On rear and (2) at rear on sides as clearance lights.	7	USAC
HF-12-6005		Light, Clearance, Amber, LED ILOS (5) On front and (2) at front on sides as clearance lights.	4	USAC
HF-12-9703		Lights, Red, 2 inch, Marker, LED, STD in side of bumper as running lights.	2	USAC
SCENE AND LOAD LIGHTS			1	USAC
HK-20-110E		Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) (2) each side as scene lights	4	USAC

PART NO	S	DESCRIPTION	QTY	ID
HK-20-130E		Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) (2) on rear as load lights	2	USAC
HK-20-7400		Rear Side Scene Lts to Activate W/Rev Gear. Rear most scene lights to come on in reverse, Rear load lights are wired to reverse standard.	1	USAC
WARNING LIGHT FLASHERS			1	USAC
HU-24-6000		Flasher, Vanner 5860GCPE, C/D/E Spec	1	USAC
HARNES LAYOUT:			1	USAC
J5-12-0100		Halogen, " E " Spec, Vanner	1	USAC
JA-10-1200		Light, License Tag, (2), Trucklite #15205 LED, ILOS	1	USAC
STOP/TURN/TAIL LIGHTS:			1	USAC
JA-13-8052		Tail Lights, Truck Light, LED, Rectangle, (R, C, A), ILOS Incandescent Reverse #45024 LED Turn #45051Y LED Brake #45058R	1	USAC
MODULE OVERHEAD HEADLINER:			1	USAC
JK-10-5500		Headliner, Flat, Expanded PVC, Std	1	USAC
12VDC INTERIOR LIGHTING:			1	USAC
JP-10-2611		Lights, Dome, LED, Whelen, White Flng, (3)S/S, (3)C/S, ILOS, M1 Three (3) streetside in liner and three (3) curbside in liner equally spaced Each side controlled by separate switch in action area standard. High/Off/Low	1	USAC
NOTE: NO VISABLE FASTENERS OR HOLES.				
JP-10-7015		Light, Stepwell, LED, Whelen #TOCACCCR, 2in, ILOS	1	USAC
JP-10-8030		Light, Intertek ZY-PIR38 12v, LED, In A/A ILOS	1	USAC
LIGHTS & MISCELLANEOUS:			1	USAC
JR-50-2950		Light, LED, Compt, Whelen #TOCACCCR, 2in, Each, ILOS	3	USAC
JR-50-2975		Light, 4" LED, Compt, Optronics #BUL43-CB, Each, ILOS	2	USAC
SUCTION PUMPS:			1	USAC
LP-10-0500		Suction Pump, Standard mounted in compartment "S2"	1	USAC
INSULATION:			1	USAC
LU-10-1000		Insulation, Fiberglass, Unfaced	1	USAC
OVERHEAD GRABRAIL:			1	USAC
N0-10-6005		Grabrail, 1 Inch X 96.5 Inch, Handicap Style, Stainless Steel, M1	1	USAC
GRABRAIL(S)/GRABHANDLES:			1	USAC
N0-11-0503		Handrails, (3), Custom "L" Shape, 1" Stainless Steel, Entry Drs, Std M1	1	USAC

PART NO	S	DESCRIPTION	QTY	ID
O2 CYLINDER RACKS:			1	USAC
NA-10-3550		Rack, Multiversal, Zico #QR-MV, W/ Straps (Uni-strut track mounting is not std)	1	USAC
		Specify cylinder size if rack is not track mounted.		
O2 SYSTEMS COMPLETE:			1	USAC
NF-50-3500		O2 System, LF Stor, (1) O2/(1) Vac Port in A/A, (1) O2 C/S Ohio style outlets (1) oxygen outlet in action area (1) vacuum port in action area (1) oxygen outlet curbside wall at head of squad bench	1	USAC
P0-59-7500		Regulator, Oxygen Cylinder, Preset 50PSI, Installed	1	USAC
SUCTION CONTAINERS:			1	USAC
PA-10-7002		Regulator/Holder, SSCOR 22000, with Canister Clip- CN 10 Compliant Conforms to J3043 requirements	1	USAC
COT MOUNTS:			1	USAC
PF-25-0500		STOCK UNIT- Add Floor Plates for Future Install of ANY cot mount	1	USAC
IV HOOKS:			1	USAC
PP-20-1000		IV Hook, Perko, (1), W/Straps, STD	2	USAC
		curbside and streetside standard locations		
MISC. INSTALLED HARDWARE/EQUIPMENT:			1	USAC
R5-11-5720		Seatbelt, Assy, RED, (6) Point, (1) EA - Change Notice 8 -Compliant On squad bench	2	USAC
R5-11-5720		Seatbelt, Assy, RED, (6) Point, (1) EA - Change Notice 8 -Compliant On CPR side Seat	1	USAC
INSTALLED STRAPS:			1	USAC
RK-12-1000		Strap, In Stairchair Storage, Standard Centered in stair chair storage area.	1	USAC
RK-12-3200		Strap, Quick Clip Adjustable, M1, Std in LR compt (1) in compartment S3 approximate 2/3 height.	1	USAC
MODULE INTERIOR			1	USAC
RU-05-0000		Interior Cabinets - Duralite Construction, Wood	1	USAC
MICA COLOR:			1	USAC
RU-10-1050		Mica, White with Red Edge banding	1	USAC

PART NO	S	DESCRIPTION	QTY	ID
SUB FLOORING:			1	USAC
RZ-99-0050		Flooring, Wood, Type 1, Std	1	USAC
FLOORING:			1	USAC
T0-11-8800		Flooring,Loncoin II,Black #163, ILOS	1	USAC
SEAMLESS ATTENDANT SEATS:			1	USAC
T5-10-0001	X	Seat, Attendant, EVS 1780B, Black, Metal Base ILOS (SAP#)	1	
		RED restraint ILOS With 3 point RED seatbelt and metal box base.		
SEAMLESS UPHOLSTERY:			1	USAC
T5-25-0600		Upholstery, Seamless, Black, ILOS	1	USAC
POLYCARBONATE DOORS			1	USAC
TB-10-0025		Cab J1, Wood Door, Hinged on the Bottom Must use M1 latches for KKK Change notice 10 certification	1	USAC
TB-10-0092		Cab K, Clear Polycarbonate Slider - CN 10 Compliant	1	USAC
TB-10-0132		Cab L, Clear Polycarbonate Slider - CN 10 Compliant	1	USAC
TB-10-0292		Cab O, Clear Polycarbonate Slider - CN 10 Compliant	1	USAC
BULKHEAD CABINET:			1	USAC
TF-52-0556		Cabinet, Bulkhead, Std, M1, Type 1	1	USAC
O2 DOOR:			1	USAC
TK-10-5000		Lexan Flap W/Hinge	1	USAC
RIGHT FRONT CABINET:			1	USAC
TU-20-4957		Cabinet, RF, Split upper/Lower Combo A/C, M1, Type 1 Split upper and lower ISOS access	1	USAC
RF CABINET DOORS W/COMBO A/C			1	USAC
TU-20-8701		Doors, Dual Wood, RF Cabinet Must use M1 latches for KKK Change notice 10 certification	1	USAC
RF LOWER CABINET DOORS W/COMBO A/C			1	USAC
TU-21-8701		Doors, Dual Wood, RF Cabinet Must use M1 latches for KKK Change notice 10 certification	1	USAC
HARDWARE,LATCHES AND LOCKS:			1	USAC
V0-10-0050		"U" Barrier Bar, Padded, 6 7/8 x 7 1/2, 1.5 inch SS, CPR Seat Mounted at the front of the CPR side seat vertically in line with the Padded head cushion on the "L" cabinets.	1	USAC
V0-14-1100		Latch, M1, 2" round, No Key, Chrome- CN 10 -Rated at 10lbs - State Location: RF cabt	8	USAC

PART NO	S	DESCRIPTION	QTY	ID
SQUAD BENCH:			1	USAC
V5-20-7051		Cabinet, Squad Bench, Standard, M1, Type 1 - With Bio-waste at the head of the squad bench cabinet.	1	USAC
LID AND HARDWARE			1	USAC
V5-60-2200		Lid, Squad Bench, Split W/Bio-Waste Front lid lifts only- back lid fixed above C2 compartment.	1	USAC
V5-80-1005		Handle, Trimark, Squad Bench, STD	1	USAC
V5-82-0500		Strut, Gas, 30 LB, Installed,	1	USAC
BASEWALL CABINET:			1	USAC
VK-17-7135		Cabinet, Basewall, M1, Type I, w/CPR Seat, w/Telemetry Area Cabinet H for stairchair Telemetry area to have mica surface with 1" lip. Cabinet O.	1	USAC
VK-17-715A		Cabinet, H, Bolt in, In Stairchair Area, M1 Bolt in Cabinet H above stairchair storage area. Allow 40" from bottom of cabinet to floor.	1	USAC
VK-17-7165		Cabinet, Streetside Upper, M1, w/CPR Seat Cabinet J1 with door hinged at the bottom, lever latch at top. Small Cabinet K, Cabinet L with vertical divider in center	1	USAC
VP-15-0066		Cabinet, Action Area, M1, Type 1 Action area work surface to be the laminated top of the cabinet.	1	USAC
VU-14-4000		Shelf, Interior, Adj, in Cabinet:	1	USAC
VU-14-4001		Shelf Track, Cabt, #HA24663, Upgrade, Std CN 10 ("C" channel/exterior shelf style track)	1	USAC
WHEELCOVERS:			1	USAC
X5-10-3801		Wheel Covers, Phoenix, Ford Type 1, Installed with Air Max Valve Extenders, std	1	USAC
SHIP LOOSE ITEMS:			1	USAC
YY-00-0001		Bracket, Spare Tire Mounting, Ship Loose	1	USAC
YY-13-3000		Spare Tire, OEM only, Ship Loose	1	USAC
WARRANTIES			1	USAC
ZZ-10-0101		Warranty, Conversion, 12 Month	1	USAC
ZZ-10-0201		Warranty, Paint, 60 month Prorated, Standard	1	USAC
ZZ-10-0300		Warranty, Structural, 15 Years, Std., Mods	1	USAC
ZZ-10-0601		Warranty, Limited Electrical	1	USAC
ZZ-10-0701		Warranty, Cabinet Construction	1	USAC

